



A Product of:
AMBA LAMINATE PVT. LTD.
(An ISO 9001: 14001: 18001 Certified Company)

MFG PLANT - Khasra No. 402, Vill - Tatarpur, N.H. - 24, Hapur (245101)
CORPORATE OFFICE NO: 1914 A & B Iconic Corenthum 19th Floor,
A-41, Sector - 62, Noida (201301) (U.P.)
Customer Care no. +91 86508 00955/ +91 86508 00966
Email - info@ogaanlam.com/ inquiry@ogaanlam.com
www.ogaanlam.com



SCAN THE QR CODE
TO DOWNLOAD
THE E-CATALOGUE

Designed & Concept by: BRANDSWITCH

DOOR SKIN

OGAAN



DOOR SKIN

SLEEK SOPHISTICATION




ABOUT US

OGAAN Laminates Strives To Be Recognized As A Competitive Force All Across The Globe On Account Of Its Quality Products And Services. The Vision Of The Company Is To Offer Unparalleled Services To All Its Customers And Thereby Be Popular Among Them For Being Bankable, Trustworthy And Quality Conscious. With A Installed Capacity Of 3.6 Million Sheets Per Annum We Ensure A Timely Supply Of Our Products. We Are Committed To Uphold The Highest Manufacturing Standards, A Practice That Has Earned Our Manufacturing Facility Certifications Like, Iso 9001, Iso 14001 And Iso 18001. The Raw Materials Used Are Subjected To A Stringent Quality Control System That Makes Sure The Highest Quality Product Is Available To Our Valuable Customers. We Have Our In-house State Of Art Chemical Plant Where Resins Are Formulated To Make The Laminates Stand The Test Of Time. The Company Understands The Importance Of Technology Both In Terms Of Machinery Used And Process Involved That Enable Optimal Working Of The Company. We Are Committed To Give Our Business Partners A Product That Withstands The Test Of Economy, Ethics And Excellence.



SCAN THE QR CODE TO
DOWNLOAD THE E-CATALOGUE



PROOF OF OUR EXCELLENCE

CATEGORIES



VENEER DOOR

DIGITAL DOOR

PREMIUM DOOR

VENEER DOOR

The Best Replica of Nature



LV - 11
SIZE AVAILABLE
7X3.25, 8X4

veneer door



LV - 12
SIZE AVAILABLE
7X3.25, 8X4

AR
A
L
L
U
R
E
R
O
Y
A
L
T
Y



LV - 10
SIZE AVAILABLE
7X3.25, 8X4



veneer door



LV - 08
SIZE AVAILABLE
7X3.25, 8X4



ECM
EXPLORE
ICONIC
MOMENTS



LV - 09
SIZE AVAILABLE
7X3.25, 8X4

VENEER DOOR




LV - 06
 SIZE AVAILABLE
 7X3.25

M O D E R N P E R C E P T I O N S



LV - 04
 SIZE AVAILABLE
 7X3.25

veneer door



LV - 05
SIZE AVAILABLE
7X3.25



LV - 07
SIZE AVAILABLE
7X3.25

SS
SHADES OF SERENITY

DIGITAL DOOR

DIGITAL DOOR

systems and their growing
popularity in modern living



MDG - 21
SIZE AVAILABLE
7X3.25

NEW




MDG - 22
SIZE AVAILABLE
7X3.25

NEW


GRACE



MDG - 20
SIZE AVAILABLE
7X3.25, 8X4



— MDG - 18 —
SIZE AVAILABLE
7X3.25, 8X4



— MDG - 17 —
SIZE AVAILABLE
7X3.25, 8X4

F I N E S T Q U A L I T Y


FQ




MDG - 19
SIZE AVAILABLE
7X3.25, 8X4



MDG - 16
SIZE AVAILABLE
7X3.25, 8X4





MDG - 01
SIZE AVAILABLE
7X3.25




MDG - 10
SIZE AVAILABLE
7X3.25

S
T
Y
L
I
S
H
O
P
U
L
E
N
C
E

SO





— MDG - 11 —
SIZE AVAILABLE
7X3.25



— MDG - 13 —
SIZE AVAILABLE
7X3.25




MDG - 04
SIZE AVAILABLE
7X3.25



MDG - 08
SIZE AVAILABLE
7X3.25

DIGITAL DOOR




MDG - 15
SIZE AVAILABLE
7X3.25

LUXURIOUS
S I M P L I C I T Y

PREMIUM DOOR

PREMIUM DOOR

Highlight the beauty of premium wooden doors, showcasing different wood species and intricate designs.



S O P H I S T I C A T I O N

MPD - 490
SIZE AVAILABLE
7X3.25

NEW

PREMIUM DOOR



MPD - 491
SIZE AVAILABLE
7X3.25

NEW



MPD - 492
SIZE AVAILABLE
7X3.25


NEW

PREMIUM DOOR



MPD - 493
SIZE AVAILABLE
7X3.25

NEW



MPD - 494
SIZE AVAILABLE
7X3.25


NEW

PREMIUM DOOR



MPD - 485
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 489
SIZE AVAILABLE
7X3.25

P
O
L
I
S
H
E
D
G
R
A
C
E




MPD - 487
SIZE AVAILABLE
7X3.25



E C E Y E C A T C H I N G

EC



MPD - 486
SIZE AVAILABLE
7X3.25

A C E S T H E T I C
C H A R M



MPD - 481
SIZE AVAILABLE
7X3.25, 8X4

PREMIUM DOOR

ELLEGANCE




MPD - 482
SIZE AVAILABLE
7X3.25, 8X4




MPD - 483
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 484
SIZE AVAILABLE
7X3.25

H I G H - E N D F A S H I O N



MPD - 477
SIZE AVAILABLE
7X3.25, 8X4

PREMIUM DOOR

TRENDING DESIGNS




MPD - 480
SIZE AVAILABLE
7X3.25, 8X4




MPD - 479
SIZE AVAILABLE
7X3.25, 8X4

U
C
R
B
A
N
C
E



MPD - 478
SIZE AVAILABLE
7X3.25, 8X4



MPD - 488
SIZE AVAILABLE
7X3.25

PREMIUM DOOR




I
N
T
R
I
C
A
T
E
D
E
T
A
I
L
I
N
G

ID



MPD - 404
SIZE AVAILABLE
7X3.25, 8X4

PREMIUM DOOR



MPD - 416
SIZE AVAILABLE
7X3.25, 8X4



MPD - 467
SIZE AVAILABLE
7X3.25

PREMIUM DOOR

E B E N I G M A T I C B E A U T Y



MPD - 469
SIZE AVAILABLE
7X3.25



MPD - 470
SIZE AVAILABLE
7X3.25



MPD - 425
SIZE AVAILABLE
7X3.25



MPD - 471
SIZE AVAILABLE
7X3.25, 8X4

AA AFFLUENT APPEAL

PREMIUM DOOR



MPD - 427
SIZE AVAILABLE
7X3.25



MPD - 472
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 473
SIZE AVAILABLE
7X3.25

EB
E
N
D
L
E
S
S
B
L
I
S
S



MPD - 432
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 474
SIZE AVAILABLE
7X3.25



MPD - 475
SIZE AVAILABLE
7X3.25

S
U
P
R
E
M
E
Q
U
A
L
I
T
Y




PREMIUM DOOR

EXCEPTIONAL APPEARANCE



MPD - 435
SIZE AVAILABLE
7X3.25



MPD - 476
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 437
SIZE AVAILABLE
7X3.25, 8X4



MPD - 438
SIZE AVAILABLE
7X3.25

F
F
F
L
A
W
L
E
S
S
F
I
N
I
S
H

PREMIUM DOOR



MPD - 439
SIZE AVAILABLE
7X3.25



MPD - 440
SIZE AVAILABLE
7X3.25

PREMIUM DOOR




MPD - 441
SIZE AVAILABLE
7X3.25, 8X4



MPD - 443
SIZE AVAILABLE
7X3.25, 8X4

PREMIUM DOOR



MPD - 445
SIZE AVAILABLE
7X3.25



MPD - 447
SIZE AVAILABLE
7X3.25, 8X4

TD
T R U L Y D Y N A M I C



MPD - 448
SIZE AVAILABLE
7X3.25



MPD - 449
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 450
SIZE AVAILABLE
7X3.25



MPD - 451
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



E
E
L
I
T
E
E
X
P
R
E
S
S
I
O
N



MPD - 452
SIZE AVAILABLE
7X3.25




MPD - 455
SIZE AVAILABLE
7X3.25, 8X4

PREMIUM DOOR



MPD - 456
SIZE AVAILABLE
7X3.25



MPD - 458
SIZE AVAILABLE
7X3.25, 8X4

I
M
P
E
C
C
A
B
L
E
F
A
S
H
I
O
N

IF

PREMIUM DOOR




MPD - 459
SIZE AVAILABLE
7X3.25



MPD - 460
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



MPD - 466
SIZE AVAILABLE
7X3.25




MPD - 401
SIZE AVAILABLE
7X3.25

PANACHE
GRACIOUS

PREMIUM DOOR



MPD - 402
SIZE AVAILABLE
7X3.25



MPD - 410
SIZE AVAILABLE
7X3.25, 8X4

PREMIUM DOOR



MPD - 407
SIZE AVAILABLE
7X3.25

AC
A B S O L U T E C L A S S




MPD - 408
SIZE AVAILABLE
7X3.25

PREMIUM DOOR



EXQUISITE
WOODWORK



MPD - 465
SIZE AVAILABLE
7X3.25, 8X4

CUSTOMIZATION AND PERSONALIZATION

CP

INDEX



OGAAN
VENEER DOOR



OGAAN
DIGITAL DOOR



OGAAN
PREMIUM DOOR



INDEX

OGAAN
PREMIUM DOOR



- FEATURES :** Abrasion Resistant  Anti Bacterial  Anti Fungal  Heat Resistant 
- Impact Resistant  Crack Resistant  Resistance to Cigarette Burns 
- color fastness  shock resistance 

CUSTOMER CARE NO. +91 8650800955 | 8650800966
Email : Info@ogaanlam.com | www.ogaanlam.com

TECHNICAL SPECIFICATION



PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995		OGAAN CONFIRMS
Thickness	1.00mm (±10%)		1.00mm (±10%)
Resistance to surface ware	350 (revolutions)		350 (revolutions)
Resistance to immersion in boiling water - Mass increase [%] -	10.0(Maximum) 11.8 (Maximum) Not worse than 4		7.5(Maximum) 8.5(Maximum) Not worse than 4
Resistance to dry heat 180 c	Not worse than 4		Not worse than 4
Dimensional stability at deviated temperature - Longitudinal [%] - Transverse [%]	0.55 (Maximum) 1.025 (Maximum)		0.44 (Maximum) 0.86 (Maximum)
Dimensional stability at 20 c - Longitudinal [%] - Transverse [%]	0.375 (Maximum) 0.60 (Maximum)		0.31 (Maximum) 0.49 (Maximum)
Resistance to impact by small diameter bal	20N (Minimum)		20N (Minimum)
Resistance to cracking	Not worse than 4		Not worse than 4
Resistance to scratching	2N (Minimum)		2N (Minimum)
Resistance to staining	Not worse than 5		Not worse than 5
Resistance to colour change (woolstandards) - In xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5		Not worse than 6 Not worse than 5
Resistance to cigarette burns	Not worse than 3		Not worse than 3
Appearance	Should be free from foreign particles		Should be free from foreign particles

Thickness: 1.00mm | Sizes: 7x3.25 & 8x4 Ft. | Finish: Matt

TIPS TO KEEP YOUR DOOR SKIN CLEAN	लेमिनेट को साफ करने का तरीका
- Tough stains which are difficult to clean may require the use of undiluted household bleach or nail polish remover. Apply the bleach or nail polish remover to the stain and let it stand no longer than two minutes. Rinse thoroughly with warm water and wipe dry. This step may be repeated if the stain appears to be going away and the color of the laminate has not been affected. - If stains continue, apply a paste of baking soda and water with a soft brush. Light scrubbing with baking soda clean the stain. - Coffee or tea stain can be removed using a mild household cleaner/detergent and a soft bristle brush. - To clean the surface, use a clean cotton cloth or sponge and mild soap or detergent.	- दाग धब्बों को लेमिनेट की सतह से हटाने के लिए अच्छी क्वालिटी के नेल रीमूवर का इस्तेमाल करें। नेल रीमूवर को दाग पर लगाकर थोड़ी देर तक रखें फिर गर्म पानी से साफ करके सूखे कपड़े से पोछ दें। - दाग को हटाने का दूसरा तरीका है कि बेकिंग सोडा और पानी का पेस्ट बनाकर दाग पर हल्के हाथों से रगड़ें फिर सूखे कपड़े से साफ कर दें। - काफी या चाय के दाग को घर में इस्तेमाल होने वाले सर्फ या साबुन से साफ किया जा सकता है। - सतह पर लगे दाग को साफ करने के लिए हमेशा हल्के डीटर्जेंट का इस्तेमाल करें।
WAYS TO INCREASE LIFE OF DOOR SKIN	डोर स्किन की खुबसुरती को लम्बे समय तक रखने का तरीका
- Do not drop heavy objects such as cans, dinnerware, or glasses or deliberately hammering directly on the surface. - Never use knives or other sharp objects directly on the decorative surface. Use of chopping block or counter saver is recommended. - Please avoid the exposure to temperatures greater than 135°C. it may damage the door skin color. Prolonged exposure to temperatures above 65°C may result in separation of the laminate from the substrate. - Oven cleaner, toilet cleaner, or drain cleaner will discolor the decorative surface. Please avoid the contact with these Chemical for long time. If any of these products spill over the surface, remove immediately, rinse thoroughly, and wipe dry. - Abrasive pads, scouring powders or cleansers may permanently damage the laminate surface making it susceptible to staining.	- सतह पर किसी भारी वस्तुओं को गिरने से बचायें। - कभी भी चाकू या नुकीली चीज से सतह को ना रगड़ें। - डोर स्किन को सीधी धूप या अत्यधिक तापमान 135°C या अधिक से बचायें। धूप और अत्यधिक तापमान से डोर स्किन का कलर हल्का हो सकता है। - किसी भी हाई क्लीनर जैसे हारपिक, एसिड का इस्तेमाल सतह को साफ करने के लिए ना करें। - रेगमार्क या सैन्ड पेपर का इस्तेमाल डोर स्किन की सतह पर ना करें।

*All the door skin designs are just for reference purpose only. For actual colour and pattern please ask for actual door skin.

Moisture
Bubble



Air
Bubble



Crack arising due to
L shape 90° cutting

